



MAJOR
FREQUENCY:
THREE

Milliken



THE VISUALIZATION OF SOUND

UNISON

COUNTERBALANCE

IMPROMPTU



Introducing Major Frequency: Three, the latest installment of the inspired Major Frequency series. Featuring three emphatic patterns, Unison, Impromptu and Counterbalance, this round of expression discovers an authentic flow of colors in a free and unstructured environment.

MAJOR FREQUENCY: THREE

IMPROMPTU

Infuse movement and interest with Impromptu. Designed with a bold crosshatch detailing highlighted by pops of pigment, this pattern emulates the same unexpected richness of an impromptu musical performance.

UNISON

Engage and intrigue with Unison. Featuring fluctuating tones and shade work, this pattern offers a pleasingly soft and effortless composition.

COUNTERBALANCE

Introduce a collectedly linear aesthetic with Counterbalance. Showcasing a series of values and true linear forms, this pattern artfully explores the balance necessary to achieve perfect harmony.





COMPOSE YOUR MASTERPIECE








JAZZ UP YOUR SPACE WITH COLOR









A BACKSTAGE VIEW

From its initial concept to its final expression, Major Frequency: One, Two, and Three were designed to be the perfect complements to one another. Offering a large selection of patterns and colors, creating a cohesive album with unique floorscapes has never been simpler.




Major Frequency: One, Vibration in Static VBN27-118. Major Frequency: Two, Equalize in Chord EQL152. Major Frequency: Three, Unison in Rhapsody UNS174-154-180 and Impromptu in Rhapsody IPR174-154-180. 25cm x 1m planks. Vertical ashlar.



Major Frequency: One, Distortion in Crescendo DTN94-211-212. Major Frequency: Two, Compose in Half-Step CMP96. Major Frequency: Two, Equalize in Ensemble EQL122. 25cm x 1m planks. Random.




COLOR LINE IN UNISON



RHAPSODY
UNS174-154-180



AUDIO MIX
UNS162-103-133




DIGITIZE
UNS180-218-27




PRODUCTION
UNS124-13-144



ACOUSTIC
UNS27-153-154



BOOST
UNS161-141-19




COLLABORATION
UNS27-147-174



INSTRUMENTAL
UNS167-27-96



COMPRESSION
UNS27-180-79



BEAT DROP
UNS183-137-107



METER
UNS27-68-137




FILTER
UNS27-118-67

COLOR LINE IN IMPROMPTU



RHAPSODY
IPR174-154-180



AUDIO MIX
IPR162-103-133



DIGITIZE
IPR180-218-27




PRODUCTION
IPR124-13-144



ACOUSTIC
IPR27-153-154




BOOST
IPR161-141-19



COLLABORATION
IPR27-147-174



INSTRUMENTAL
IPR167-27-96



COMPRESSION
IPR27-180-79



BEAT DROP
IPR183-137-107



METER
IPR27-68-137




FILTER
IPR27-118-67

COLOR LINE IN COUNTERBALANCE



RHAPSODY
CTB174-154-180




AUDIO MIX
CTB162-103-133




DIGITIZE
CTB180-218-27




PRODUCTION
CTB124-13-144



ACOUSTIC
CTB27-153-154



BOOST
CTB161-141-19




COLLABORATION
CTB27-147-174



INSTRUMENTAL
CTB167-27-96



COMPRESSION
CTB27-180-79



BEAT DROP
CTB183-137-107



METER
CTB27-68-137



FILTER
CTB27-118-67





MAJOR FREQUENCY: THREE

Unison / Impromptu / Counterbalance

Construction

Tufted, Textured Loop

Tile Sizes

25 cm x 1 m (9.85" x 39.4")

Yarn Type

Universal Fibers® Solution-Dyed Nylon
Type 6,6

Stain Resist / Soil Release

StainSmart®

Finished Pile Height

Unison: 0.103" (2.62 mm)

Impromptu: 0.102" (2.59 mm)

Counterbalance: 0.106" (2.69 mm)

Finished Pile Thickness

Unison: 0.060" (1.52 mm)

Impromptu: 0.061" (1.55 mm)

Counterbalance: 0.056" (1.42 mm)

Average Density

Unison: 8,400

Impromptu: 8,263

Counterbalance: 9,000

Standard Backing

PVC-Free WellBAC™ Comfort Cushion

Available with TractionBack®

Texture Appearance Retention Rating (TARR)

Severe Traffic End-Use Applications

Recommended Installation Method(s)

All Plank Methods



ALL PLANK
METHODS

SUSTAINABLE FEATURES

Major Frequency: Three is manufactured with WellBAC™ Comfort cushion backing, and is certified NSF-140 Gold with 43% pre-consumer recycled content by total product weight. **Major Frequency: Three** is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



Declare.



Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER

(Front) Unison in Compression UNS27-180-79, Impromptu in Compression IPR27-180-79, and Counterbalance in Compression CTB27-180-79. 25cm x 1m planks. Vertical ashlar. (Back) Impromptu in Rhapsody IPR174-154-180 and Counterbalance in Rhapsody CTB174-154-180. 25cm x 1m planks. Herringbone.

Milliken

Customer Concierge 800.824.2246 | millikenfloors.com
© 2020 Milliken & Company | Design © Milliken & Company | Made in the USA

2710030269
CP0120